

MATERIAL SAFETY DATA SHEET

Section 1. Chemical product and company identification

Product Name: Aer-O-Water 2%
Synonym: Model 502 AFFF Foam Charge
Manufacturer: AMEREX CORPORATION
Internet Address: www.amerex-fire.com
Address: 7595 Gadsden Highway
P.O. BOX 81
Trussville, AL 35173-0081
(205) 655-3271
Emergency Contacts: Chemtrec 1(800) 424-9300 or
(703) 527-3887
Revised: February 2010

Section 2. COMPOSITION/ INFORMATION ON INGREDIENTS

Components	CAS Number
Water	7732-18-5
Diethylene Glycol Monobutyl Ether	112-34-5
Snythetic Detergents	Proprietary
Flouroalkyl Surfactants	Proprietary

Section 3. HAZARDS IDENTIFICATION

Potential Health Effects

Inhalation

No data available

Skin Contact

Contact with liquid may cause moderate irritation or dermatitis due to removal of oils from the skin

Eye Contact

Product is an eye irritant

Ingestion

No data available

Additional Health Effects

Existing eye or skin sensitivity may be aggravated by exposure

Carcinogenicity Information

No data available

Section 4: FIRST AID MEASURES

Inhalation

Remove victim to fresh air

Skin Contact

In case of contact, wash off in flowing water or shower. Launder clothing before reuse.

Eye Contact

In case of eye contact, immediately flush eyes with copious amounts of water for 15 minutes. Retract eyelids often. Contact a physician if irritation persists.

Ingestion

If swallowed, give victim plenty of water to drink. Do not induce vomiting. Call a physician or poison control center. Never administer anything by mouth to an unconscious person.

Section 5. FIRE FIGHTING MEASURES

Flammable Properties

Flash point – Not applicable

Fire and Explosion Hazards

Avoid contact with water reactive materials, burning metals and electrically energized equipment.

Extinguishing Media

Product is an extinguishing media. Use media appropriate for surrounding materials.

Special Fire Fighting Instructions

This product will produce foam when mixed with water.

Section 6. ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (Personnel) sections before proceeding with clean up. Use appropriate Personal Protective Equipment during clean up.

Accidental Release Measures

Stop flow if possible. Use appropriate protective equipment during clean up. For small volume releases, collect spilled concentrate with absorbent material; place in approved container. For large volume releases, contain and collect for use where possible. Flush area with water until it no longer foams. Exercise caution, surfaces may be slippery. Prevent discharge of concentrate to waterways. Disposal should be made in accordance with federal, state, and local regulations.

Section 7. HANDLING AND STORAGE

Handling (Personnel)

Avoid contact with eyes, skin, or clothing. Avoid ingestion or inhalation. Rinse skin and eyes thoroughly in case of contact. Review HAZARDS and FIRST AID sections.

Storage

Recommended storage environment is between 35°F (2°C) and 120°F (49°C). Store product in original shipping container or tanks designed for product storage.

Section 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls

Insure adequate ventilation; special ventilation controls are not required.

Personal Protective Equipment

Respiratory

Recommended exposure limits (OSHA – PEL and ACGIH – TLV) have not been determined for this material. A qualified health specialist should evaluate the need for respiratory protection.

Protective Clothing

Rubber or PVC gloves recommended.

Eye protection

Safety glasses, face shield or chemical splash goggles must be worn when possibility exists for eye contact. Contact lenses should not be worn. Eyewash facilities are recommended.

Other Hygienic Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Promptly remove soiled clothing and wash thoroughly before re-use.

Exposure Guidelines

Exposure Limits	CAS Number	PEL(OSHA)	TLV(ACGIH)
Diethylene Glycol Monobutyl Ether	112-34-5	none	none

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

Boiling Point:	Not applicable
Vapor pressure:	Not applicable
Vapor Density:	Not applicable
Melting Point:	Not applicable

Evaporation Rate:	<1 (Butyl Acetate=1.0)
Solubility in Water:	100%
pH:	7.6
Specific Gravity:	1.040 @ 25°C
Odor:	Mild, pleasant
Form:	Aqueous Solution
Color:	Blue-green

Section 10. STABILITY AND REACTIVITY

Chemical Stability

Stable

Incompatibility, Materials to Avoid

Avoid use of product on burning metals, electrically energized equipment and contact with water reactive materials.

Polymerization

Will not occur.

Section 11. TOXICOLOGICAL INFORMATION

This product has not been tested as a whole for acute oral and inhalation toxicity, primary eye irritation, or primary skin irritation.

Section 12. ECOLOGICAL INFORMATION

Ecotoxicological Information Aquatic Toxicity:

No data available.

Environmental Fate

BOD₅ No data available

COD No data available

Section 13. DISPOSAL CONSIDERATIONS

Do not discharge into biological sewer treatment systems without prior approval. Specific concerns may be high BOD load and foaming tendency. Dilution will reduce BOD and COD factors proportionately. Low dosage flow rate or antifoaming agents acceptable to the treatment plant may be helpful. Do not flush to waterways. Disposal should be made in accordance with federal, state, and local regulations.

NOTE: As a service to our customers, National Foam has approvals in place with disposal facilities throughout the U.S. for wastewater treatment of our foam liquid concentrates and foam solutions. If required, National Foam can also provide information on the disposal of drums used for shipping our concentrates. Please contact National Foam's Risk Management Administrator at (610) 363-1400 for additional information.

Section 14. TRANSPORTATION INFORMATION

Shipping Information

Proper Shipping Name: Fire Extinguisher Charges or Compounds N.O.I., Class 60

National Motor Freight Code: 69160 Sub 0

Hazard Class: None

UN Number: None

Section 15. REGULATORY INFORMATION

U.S. Federal Regulations

Toxic Substances Control Act (TSCA)

All components of this product are listed in the TSCA inventory.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III

Section 302 / 304

There are no components of this material with known CAS numbers which are on the Extremely Hazardous Substances (EHS) list.

Section 311 & 312

Based on available information, this material does not contain any components that are classified as health and/ or physical hazards according to Section 311 & 312

Section 313

Based on the available information, this material contains the following components, which are subject to Section 313 reporting requirements;

Diethylene Glycol Monobutyl Ether	112-34-5
-----------------------------------	----------

Comprehensive Environmental Response, Compensation, Liability Act (CERCLA)

Based on available information, this material contains the following components, which are subject to the reporting requirements of CERCLA:

Diethylene Glycol Monobutyl Ether

112-34-5

State Regulations

Pennsylvania Right-To-Know Hazardous Substances List
PA Hazardous Substances present at levels greater than 1%:

Diethylene Glycol Monobutyl Ether

112-34-5

Other Regulatory Information

None

Section 16. OTHER INFORMATION

NFPA Rating

Health 0
Flammability 0
Reactivity 0

ADDITIONAL INFORMATION

Revision Summary

Preparation Date/ Revision Number.....4/12/07

Updated.....2/2/10

The information contained herein is furnished without warranty either expressed or implied. This data sheet is not a part of any contract of sale. The information contained herein is believed to be correct or is obtained from sources believed to be generally reliable. However, it is the responsibility of the user of these materials to investigate, understand and comply with federal, state, and local guidelines and procedures for safe handling and use of these materials. National Foam shall not be liable for any loss or damage arising directly or indirectly from the use of this product and National Foam assumes no obligation or liabilities for reliance on the information contained herein or omissions herefrom.

All technical information came from an MSDS supplied by National Foam